



Volvic Natural Spring Water – Annual Water Quality Report

At Volvic we are proud of the quality of our products. Volvic Natural Spring Water is distributed nationally and meets or exceeds all bottled water standards for quality and safety at the Federal and state level. The US Food and Drug Administration (FDA) regulates bottled water as a food. Our scientists and independent certified laboratories perform extensive tests on the water source and finished bottled water product to ensure we exceed or are compliant with all Federal and state bottled water requirements.

In addition to existing stringent regulatory standards, the International Bottled Water Association (IBWA) maintains a strict Model Code of quality for its members. Volvic is a member of IBWA and meets or exceeds the quality requirements of the IBWA's Model Code. Additionally, we take pride in the fact that our bottled water production plant is annually inspected, on an unannounced basis, by an independent testing organization, NSF International (NSF). Based on unannounced annual plant inspections and product testing, NSF certifies that Volvic Natural Spring Water complies with federal and state bottled water regulations and IBWA's Model Code. NSF is located in Ann Arbor, Michigan. For more information about IBWA and NSF, please visit their websites at <http://www.bottledwater.org> and <http://www.nsf.org> or call IBWA at 1-800-WATER-11 and NSF at 1-800-673-6275.

Volvic Natural Spring Water Source

Volvic Natural Spring Water is from a 1,520 square mile nature preserve in Auvergne, France. Volvic Natural Spring Water is naturally filtered as it slowly trickles down through hundreds of layers of porous puzzolana sand, basalt, and lava stone. As the water filters through these different volcanic layers, it absorbs natural minerals.

Volvic Natural Spring Water Bottling

Volvic Natural Spring Water is bottled exclusively at its protected source. – the Clairvic Spring. Volvic's source is approved by several regulatory agencies based on a detailed and extensive review. To ensure the purity and consistency of Volvic, automated bottling equipment is maintained under strict sanitary conditions and a quality control laboratory conducts several hundred quality tests daily, both at the water source and finished bottled water product.

Volvic Natural Spring Water Additional Safety Measures

Volvic Natural Spring Water is treated with Greensand Filtration – the use of manganese coated filters to reduce naturally present minerals from source water.

Water Quality Data

Attached is a copy of our most recent extensive water quality testing conducted by the independent certified laboratory, NSF. The NSF Report lists the water quality test results for over 175 substances including inorganics (metals, minerals, etc.), organics (pesticides, herbicides, etc.) and microbials as well as physical parameters. Volvic Natural Spring Water is analyzed for both regulated and unregulated substances. This Report contains the substance analyzed, approved test method used, test result, minimum detection limit, measurement unit, date analyzed and FDA Quality Standard for bottled water, if applicable. The FDA Quality Standards are the maximum allowable levels for over 80 substances in bottled water.

Volvic Natural Spring Water is in full compliance with all federal, state and industry bottled water standards.

For more information about Volvic Natural Spring Water, call 1-800-233-6200 or write to us at Volvic Consumer Care, PO Box 1625, Horsham, PA 19044

Volvic Natural Spring Water California Bottled Water Report

THE STATE OF CALIFORNIA REQUIRES THE FOLLOWING INFORMATION TO BE PROVIDED TO BOTTLED WATER CONSUMERS, UPON REQUEST

Volvic Natural Spring Water
Societe Volvic
c/o Danone Waters of America, Inc.
100 Hillside Avenue
White Plains, NY 10603
1-800-233-6200

Source: Clairvic Spring

Terms:

“statement of quality” – The standard (statement) of quality for bottled water is the highest level of a contaminant that is allowed in a container of bottled water, as established by the United States Food and Drug Administration (FDA) and the California Department of Public Health. The standards can be no less protective of public health than the standards for public drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health.

“maximum contaminant level (MCL)” – The highest level of a contaminant that is allowed in drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health. Primary MCLs are set as close to the PHGs as is economically and technologically feasible.

“public health goal (PHG)” – The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

“primary drinking water standard” – MCLs for contaminants established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Treatment Process: Volvic Natural Spring Water is treated with Greensand Filtration – the use of manganese coated filters to reduce naturally present minerals from source water.

FDA’s website for recalls: <http://www.fda.gov/opacom/7alerts.html>

Our product has been thoroughly tested in accordance with federal and California law. Our bottled water is a food product and cannot be sold unless it meets the standards established by the U.S. Food and Drug Administration and the California Department of Public Health. The following statements are required under California law:

“Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Food and Drug Administration, Food and Cosmetic Hotline (1-888-723-3366).”

“Some persons may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, including, but not limited to, persons with cancer who are

Volvic Natural Spring Water California Bottled Water Report

undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These persons should seek advice about drinking water from their health care providers. The United States Environmental Protection Agency and the Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791)."

"The sources of bottled water include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water naturally travels over the surface of the land or through the ground, it can pick up naturally occurring substances as well as substances that are present due to animal and human activity. Substances that may be present in the source water include any of the following:

- 1. Inorganic substances, including, but not limited to, salts and metals, that can be naturally occurring or result from farming, urban storm water runoff, industrial or domestic wastewater discharges, or oil and gas production.*
- 2. Pesticides and herbicides that may come from a variety of sources, including, but not limited to, agriculture, urban storm water runoff, and residential uses.*
- 3. Organic substances that are byproducts of industrial processes and petroleum production and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.*
- 4. Microbial organisms that may come from wildlife, agricultural livestock operations, sewage treatment plants, and septic systems.*
- 5. Substances with radioactive properties that can be naturally occurring or be the result of oil and gas production and mining activities."*

"In order to ensure that bottled water is safe to drink, the United States Food and Drug Administration and the State Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by bottled water companies."



General Information

Standard: USFDA CFR Title 21 Part 165.110
Lot Number: #18 01 2018 0 0913
Product Description: Natural Spring Water
Trade Name: Volvic

Sample Id: **S-0001224615**
Description: Volvic | Natural Spring Water - #18 01 2018 0 0913
Sampled Date: 01/26/2016
Received Date: 01/25/2016

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Physical Quality					
Alkalinity as CaCO3	5	60		mg/LCaCO3	
Color	5	ND	15	Color Unit	Pass
Specific Conductance	10	190		umhos/cm	
Corrosivity	0	-1.54			
Hardness, Total	2	64		mg/LCaCO3	
Solids Total Dissolved	5	120	500	mg/L	Pass
Turbidity	0.1	ND	5	NTU	Pass
pH	0.01	6.92			
Temperature	0	21		deg. C	
Bicarbonate	5	74		mg/L HCO3	
Disinfection Residuals/Disinfection By-Products					
Bromate	5	ND	10	ug/L	Pass
Chloramine, Total	0.05	ND	4	mg/L	Pass
Dichloramine	0.05	ND		mg/L	
Monochloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Bromochloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Monochloroacetic Acid	2	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Trichloroacetic Acid	1	ND		ug/L	
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
Radiologicals					
Uranium	0.001	ND	0.03	mg/L	Pass
Inorganic Chemicals					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0005	0.0005	0.006	mg/L	Pass
Arsenic	0.002	0.004	0.01	mg/L	Pass
* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)-Bureau Veritas					
Amphibole Fibers	0.2	ND		MFL	
Chrysotile Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
Barium	0.001	ND	2	mg/L	Pass
Beryllium	0.0005	ND	0.004	mg/L	Pass
Bromide	10	34		ug/L	
Cadmium	0.0002	ND	0.005	mg/L	Pass



Sample Id: S-0001224615

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Inorganic Chemicals					
Calcium	0.02	12		mg/L	
Chloride	2	14	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.005	ND	0.2	mg/L	Pass
Fluoride	0.1	0.2	1.4	mg/L	Pass
Iron	0.02	ND	0.3	mg/L	Pass
Lead	0.0005	ND	0.005	mg/L	Pass
Magnesium	0.02	8.3		mg/L	
Manganese	0.001	ND	0.05	mg/L	Pass
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.001	ND	0.1	mg/L	Pass
Nitrogen, Nitrate	0.05	1.6	10	mg/L N	Pass
Nitrogen, Nitrite	0.025	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.02	1.56	10	mg/L	Pass
Potassium	0.5	6.3		mg/L	
Selenium	0.002	ND	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	0.5	12		mg/L	
Sulfate as SO4	0.5	8.0	250	mg/L	Pass
Surfactants (MBAS)	0.2	ND		mg/L	
Thallium	0.0002	ND	0.002	mg/L	Pass
Phenolics	0.001	ND	0.001	mg/L	Pass
Zinc	0.01	ND	5	mg/L	Pass
Organic Chemicals					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref: EPA 548.1) - (ug/L)					
Endothall	9	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	10	ND	30	pg/L	Pass
Carbamate Pesticides (Ref: 531.2)					
3-Hydroxycarbofuran					
3-Hydroxycarbofuran	1	ND		ug/L	
Aldicarb					
Aldicarb	1	ND		ug/L	
Aldicarb sulfone					
Aldicarb sulfone	1	ND		ug/L	
Aldicarb sulfoxide					
Aldicarb sulfoxide	1	ND		ug/L	
Carbaryl					
Carbaryl	1	ND		ug/L	
Carbofuran					
Carbofuran	1	ND	40	ug/L	Pass
Methomyl					
Methomyl	1	ND		ug/L	
Oxamyl					
Oxamyl	1	ND	200	ug/L	Pass
Herbicides (Ref: EPA 515.3)					
2,4,5-TP					
2,4,5-TP	0.2	ND	50	ug/L	Pass
2,4-D					
2,4-D	0.1	ND	70	ug/L	Pass
Bentazon					
Bentazon	0.2	ND		ug/L	
Dalapon					
Dalapon	1	ND	200	ug/L	Pass



Sample Id: S-0001224615

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
DCPA Acid Metabolites	0.2	ND		ug/L	
Dicamba	0.1	ND		ug/L	
Dinoseb	0.2	ND	7	ug/L	Pass
Pentachlorophenol	0.04	ND	1	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Semivolatile Organic Compounds (Ref: EPA 525.2)					
2,4 Dinitrotoluene	0.5	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Aldrin	0.1	ND		ug/L	
Atrazine	0.2	ND	3	ug/L	Pass
Benzo(a)Pyrene	0.1	ND	0.2	ug/L	Pass
bis(2-Ethylhexyl)adipate	2	ND	400	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	2	ND	6	ug/L	Pass
Butachlor	0.2	ND		ug/L	
Butylbenzylphthalate	2	ND		ug/L	
Di-n-butylphthalate	2	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
EPTC	0.5	ND		ug/L	
Heptachlor	0.1	ND	0.4	ug/L	Pass
Heptachlor Epoxide	0.1	ND	0.2	ug/L	Pass
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
Lindane	0.1	ND	0.2	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
Metolachlor	0.1	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Molinate	0.1	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Simazine	0.2	ND	4	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)					
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	
1,2,3-Trimethylbenzene	0.5	ND		ug/L	



Sample Id: S-0001224615

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,3-Dichloropropane	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
2,2-Dichloropropane	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Bromobenzene	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
Bromodichloromethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
Bromomethane	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
Chlorobenzene	0.5	ND	100	ug/L	Pass
Chlorodibromomethane	0.5	ND		ug/L	
Chloroethane	0.5	ND		ug/L	
Chloroform	0.5	ND		ug/L	
Chloromethane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
cis-1,3-Dichloropropene	0.5	ND		ug/L	
Dibromomethane	0.5	ND		ug/L	
Dichlorodifluoromethane	0.5	ND		ug/L	
Ethyl Benzene	0.5	ND	700	ug/L	Pass
Hexachlorobutadiene	0.5	ND		ug/L	
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
m+p-Xylenes	1	ND		ug/L	
Methyl Ethyl Ketone	5	ND		ug/L	
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Methylene Chloride	0.5	ND	5	ug/L	Pass
n-Butylbenzene	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
o-Xylene	0.5	ND		ug/L	
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
tert-Butylbenzene	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Toluene	0.5	ND	1000	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass
trans-1,3-Dichloropropene	0.5	ND		ug/L	



Sample Id: S-0001224615

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
Trichloroethylene	0.5	ND	5	ug/L	Pass
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass
Chlorinated Pesticides and Organohalides by EPA 508.1					
Chlordane	0.1	ND	2	ug/L	Pass
Endrin	0.01	ND	2	ug/L	Pass
PCB 1016	0.1	ND	0.5	ug/L	Pass
PCB 1221	0.1	ND	0.5	ug/L	Pass
PCB 1232	0.1	ND	0.5	ug/L	Pass
PCB 1242	0.1	ND	0.5	ug/L	Pass
PCB 1248	0.1	ND	0.5	ug/L	Pass
PCB 1254	0.1	ND	0.5	ug/L	Pass
PCB 1260	0.1	ND	0.5	ug/L	Pass
Total PCBs	0.1	ND	0.5	ug/L	Pass
Toxaphene	0.1	ND	3	ug/L	Pass
Miscellaneous					
Odor, Threshold	1	1	3	TON	Pass



<<Additional Information>>

Sample Id: S-0001224615

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Physical Quality			
Alkalinity (Ref: SM 2320-B)	26-JAN-2016		
Color (Ref: SM 2120-B)	26-JAN-2016	10:00	
Specific Conductance (Ref: EPA 120.1)	26-JAN-2016		
Corrosivity (Ref: SM 2330-B)			
Hardness, Total (Ref: EPA 200.7)			
Solids, Total Dissolved (Ref: SM 2540-C)	26-JAN-2016		
Turbidity (Ref: EPA 180.1)	26-JAN-2016	09:45:00	
pH (Ref: SM4500-HB)	26-JAN-2016	10:40:55	
Bicarbonate (Ref: SM 2320-B)			
Disinfection Residuals/Disinfection By-Products			
Bromate (Ref: EPA 300.1)	27-JAN-2016		
Chloramines (Ref: SM 4500-Cl-G)	26-JAN-2016	13:43:00	
Chlorite (Ref: EPA 300.1)	27-JAN-2016		
Chlorine Dioxide (Ref: SM 4500-ClO2-D)	26-JAN-2016	13:43:00	
Halacetic Acids (Ref: EPA 552.2)	30-JAN-2016		28-JAN-2016
Chlorine, Total Residual (ref. SM 4500CL-G)	26-JAN-2016	13:43:00	
Radiologicals			
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
Inorganic Chemicals			
Aluminum (Ref: EPA 200.8)	27-JAN-2016		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
# * Asbestos in Water (Ref: EPA 600/4-83/043,100.1)-Bureau Veritas	3-FEB-2016	14:00	
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
Bromide (Ref: EPA 300.1)	27-JAN-2016		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	27-JAN-2016		
Chloride (Ref: EPA 300.0)	26-JAN-2016		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
Cyanide, Total (Ref: EPA 335.4)	29-JAN-2016		
Fluoride (Ref: SM 4500-F-C)	27-JAN-2016		
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	27-JAN-2016		



<<Additional Information>>

Sample Id: S-0001224615

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Inorganic Chemicals			
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	27-JAN-2016		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
Nitrogen, Nitrate (Ref: EPA 300.0)	26-JAN-2016	18:17:00	
Nitrogen, Nitrite (Ref: EPA 300.0)	26-JAN-2016	11:46:00	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	27-JAN-2016		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8)	26-JAN-2016		
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	27-JAN-2016		
Sulfate as SO4 (Ref: EPA 300.0)	26-JAN-2016		
Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	26-JAN-2016	11:10:00	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
* Phenolics, Total Recoverable (Based on EPA 420.2)	27-JAN-2016		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	27-JAN-2016		
Organic Chemicals			
Diquat (Ref: EPA 549.2)	2-FEB-2016		1-FEB-2016
Endothall (Ref: EPA 548.1) - (ug/L)	27-JAN-2016		26-JAN-2016
Glyphosate (Ref: EPA 547)	4-FEB-2016		
Perchlorate (Ref: EPA 314.0)	26-JAN-2016		
2,3,7,8-TCDD (Ref: EPA 1613B)	27-JAN-2016		26-JAN-2016
Carbamate Pesticides (Ref: 531.2)	2-FEB-2016		
Herbicides (Ref: EPA 515.3)	28-JAN-2016		27-JAN-2016
Semivolatile Organic Compounds (Ref: EPA 525.2)	29-JAN-2016		28-JAN-2016
Volatiles: EDB and DBCP (Ref: EPA 504.1)	27-JAN-2016		
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	4-FEB-2016		
Chlorinated Pesticides and Organohalides by EPA 508.1	31-JAN-2016		
Miscellaneous			
Odor, Threshold Number (Ref. Standard Methods 2150 B)	26-JAN-2016		



Testing Laboratories:

Flag	Id	Address
All work performed at: (Unless otherwise specified)	NSF_AA	NSF International 789 N. Dixboro Road Ann Arbor MI 48105
#	BVNA	Bureau Veritas North America 3380 Chastain Meadows Pkwy 300 Kennesaw, GA 30144 Arizona License #AZ0675

References to Testing Procedures:

NSF Reference	Parameter / Test Description
C1188	Odor, Threshold Number (Ref. Standard Methods 2150 B)
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3012	* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)-Bureau Veritas
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfate as SO4 (Ref: EPA 300.0)
C3019	Cyanide, Total (Ref: EPA 335.4)
C3021	* Phenolics, Total Recoverable (Based on EPA 420.2)
C3025	Chlorite (Ref: EPA 300.1)
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	Color (Ref: SM 2120-B)
C3158	Specific Conductance (Ref: EPA 120.1)
C3159	pH (Ref: SM4500-HB)
C3161	Hardness, Total (Ref: EPA 200.7)
C3166	Bicarbonate (Ref: SM 2320-B)
C3168	Chlorine Dioxide (Ref: SM 4500-CIO2-D)
C3169	Chloramines (Ref: SM 4500-CI-G)
C3170	Fluoride (Ref: SM 4500-F-C)



References to Testing Procedures: (Cont'd)

NSF Reference	Parameter / Test Description
C3174	Alkalinity (Ref: SM 2320-B)
C3188	Silver in Drinking Water by ICPMS (Ref: EPA 200.8)
C3210	Corrosivity (Ref: SM 2330-B)
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C3393	Chlorine, Total Residual (ref. SM 4500CL-G)
C4076	Carbamate Pesticides (Ref: 531.2)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref. EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Haloacetic Acids (Ref: EPA 552.2)
C4202	Herbicides (Ref: EPA 515.3)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)
C4669	Chlorinated Pesticides and Organohalides by EPA 508.1

Certifications:

Arizona (# AZ0655)	California (# 03214 CA)	Connecticut (# PH-0625)
Florida (# E-87752 FL)	Hawaii	Indiana
Maryland (# 201)	Michigan (# 0048)	North Carolina (# 26701)
New Jersey (# MI770)	Nevada (# MI000302010A)	New York (# 11206)
Pennsylvania (# 68-00312)	South Carolina (# 81005)	Virginia (# 00045)
Vermont (# VT 11206)		

Test descriptions preceded by an asterisk "*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.

The reported result for Odor, Phenolics, Potassium, Specific Conductance, Radon and Total Residual Chlorine cannot be used for compliance purposes within the State of Arizona.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the reporting limit.

For a list of NSF International Method Detection Limits refer to http://www.nsf.org/media/enews/documents/minimum_detection_level_spreadsheet.pdf.